




BIOCARE
M E D I C A L


Key Antibodies For Breast Pathology

Top Rated Breast Antibodies




CK5/14 + p63 + CK7/18

This multiplex cocktail complements morphological evaluation of breast lesions, due to the differential expression of the luminal (CK7/8).




p120 + E-cadherin

Studies have shown accurate categorization of ductal vs. lobular neoplasia in the breast with p120 Catenin + E-cadherin.



Estrogen Receptor (ER) [SP1]

ER is present in the nuclei of epithelial cells in normal breast and endometrial tissues, as well as a subset of breast carcinomas.


















c-erbB-2/HER2

Studies have shown that c-erbB-2 positive breast cancer may correlate with negative staining for estrogen and progesterone receptors; thus a poorer predictive outcome is correlated with positive c-erbB-2 staining.

www.biocare.net/breast

Key Antibodies for Breast Pathology

Product Name	Source	Clone	Catalog Number
CK5/14 + p63 + CK7/18	 ³  ²	XM26/LL002 + 4A4 + BC1/EP30	PM; VP; OAI; VLTM 360
GCDFP-15 + Mammaglobin	 	D6 + 31A5	PM 317DS
p120 + E-cadherin	 	98/pp120 + EP6	API 3011DS
Estrogen Receptor (ER) [SP1]		SP1	ACA; APA; OAA 301
Progesterone Receptor (PR) [16]		16	ACA; OAA 424
GATA-3		L50-823	CM; PM; OAI; VLTM 405
Cytokeratin 7 (CK7) (RM)		BC1	CRM; PRM; IP; VLTR 339
PD-1		NAT105	ACI; API 3137
c-erbB-2/HER2 (RM)		EP3	ACA; APA; OAA 342
Cytokeratin 5/14 Cocktail	 ²	XM26 + LL002	ACI; OAI; API; VLTM 3025
E-Cadherin		HECD-1	CM; IP; PM 170
Mammaglobin		1A5	OAI; PM; VLTM 269